



Faculty of Resource Science and Technology

**ASSESSING THE HEALTH STATUS OF TREES IN UNIMAS FOR
SUSTAINABLE URBAN LANDSCAPE**

Heida bt Mohamad Kamel

**Master of Environmental Science
(Land Use and Water Resource Management)
2015**

UNIVERSITI MALAYSIA SARAWAK

Grade: _____

Please tick (✓)

Final Year Project Report

Masters

PhD

<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

DECLARATION OF ORIGINAL WORK


This declaration is made on the 18 day of May 2015.

Student's Declaration:

I, Heida binti Mohamad Kamel (14030132), Faculty of Resource Science and Technology hereby declare that the work entitled **Assessing The Health Status of Trees in UNIMAS for Sustainable Urban Landscape** is my original work. I have not copied from any other students' work or from any other sources except where due reference or acknowledgement is made explicitly in the text, nor has any part been written for me by another person.

18/5/2015

Date submitted




Heida binti Mohamad Kamel (14030132)

Supervisor's Declaration:

I, Dr Siti Rubiah bt Zainudin, Faculty of Resource Science and Technology, hereby certifies that the work entitled **Assessing The Health Status of Trees in UNIMAS for Sustainable Urban Landscape** was prepared by the above named student, and was submitted to the "FACULTY" as a * partial/full fulfillment for the conferment of **Master of Environmental Science (Land Use and Water Resource Management)**, and the aforementioned work, to the best of my knowledge, is the said student's work.

Received for examination by:



Dr Siti Rubiah bt Zainudin

Dr Siti Rubiah Zainuddin

Pensyarah Kanan

Fakulti Sains dan Teknologi Sumber

UNIVERSITI MALAYSIA SARAWAK

94300 Kota Samarahan

Date:

18/5/2015

I declare that Project/Thesis is classified as (Please tick (✓)):


- ☐ **CONFIDENTIAL** (Contains confidential information under the Official Secret Act 1972)*
- ☐ **RESTRICTED** (Contains restricted information as specified by the organisation where research was done)*
- ☒ **OPEN ACCESS**

Validation of Project/Thesis


I therefore duly affirm with free consent and willingly declare that this said Project/Thesis shall be placed officially in the Centre for Academic Information Services with the abiding interest and rights as follows:

- This Project/Thesis is the sole legal property of Universiti Malaysia Sarawak (UNIMAS).
- The Centre for Academic Information Services has the lawful right to make copies for the purpose of academic and research only and not for other purpose.
- The Centre for Academic Information Services has the lawful right to digitalise the content for the Local Content Database.
- The Centre for Academic Information Services has the lawful right to make copies of the Project/Thesis for academic exchange between Higher Learning Institute.
- No dispute or any claim shall arise from the student itself neither third party on this Project/Thesis once it becomes the sole property of UNIMAS.
- This Project/Thesis or any material, data and information related to it shall not be distributed, published or disclosed to any party by the student except with UNIMAS permission.

Student signature


(Date) 18/5/2015

Supervisor signature:

 18/5/2015
(Date)

Current Address: No. 11, Lot 2938 Taman Hj Ludin, Jalan Semariang, 93050 Kuching, Sarawak

Notes: * If the Project/Thesis is **CONFIDENTIAL** or **RESTRICTED**, please attach together as annexure a letter from the organisation with the period and reasons of confidentiality and restriction.

[The instrument is duly prepared by The Centre for Academic Information Services]

P.KHIDMAT MAKLUMAT AKADEMIK
UNIMAS



1000265539

PUSAT KHIDMAT MAKLUMAT AKADEMIK UNIVERSITI MALAYSIA SARAWAK		
BIL	TARIKH PEMULANGAN	PATRON ID
1		
2		
3		
4		
5		
6		
7		
PEMULANGAN LEWAT DIKENAKAN DENDA		

**Assessing The Health Status of Trees in UNIMAS for Sustainable
Urban Landscape**

Heida binti Mohamad Kamel

A dissertation submitted in partial fulfillment of the requirements for the degree of
Master of Environmental Science (Land Use and Water Resource Management)

Faculty of Resource Science and Technology

UNIVERSITI MALAYSIA SARAWAK

2015

ACKNOWLEDGEMENT

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Alhamdulillah, first of all I am grateful to be given the strength and good health to be able to complete my dissertation as part of my coursework. I would like to thank my supervisor, Dr Siti Rubiah bt Zainuddin, for without her words of wisdom it would have been impossible for me to complete my work and see trees and plants in a whole new perspective.

I would like to also thank my dearest friend, Dayang Zahidah Abg Mohd Othman for being with me through thick and thin, always there for me and giving me encouragement to complete my dissertation on time.

My highest gratitude goes to my parents, Hj. Mohd Kamel Hussein and Hjh. Johariah Zen, for understanding and encouragement, and also for sacrificing their time, enabling me to attend classes during this one and half year study at UNIMAS.

Finally, I dedicate this to my children, Siti Hajar, Muhd Ali Imran, Siti Maryam, Muhd Anas and Siti Aisyah, for they are the pillar of my strength and the force that drives me to complete studies.

TABLE OF CONTENTS

ACKNOWLEDGEMENT.....	i
TABLE OF CONTENT.....	ii
LIST OF TABLES AND FIGURES.....	v
ABSTRACT.....	vii

CHAPTER 1

INTRODUCTION.....	1
1.1 Introduction	1
1.2 Problem Statement	2
1.3 Objectives	3
1.4 Significant of Study	3

CHAPTER 2

LITERATURE REVIEW	4
2.1 Introduction	4
2.2 Sustainability of Urban Forest.....	5
2.3 Functions and Benefits of Urban Forest	7
2.3.1 Environmental benefits of urban forest.....	7
2.3.1.1 Carbon sequestration.....	7
2.3.1.2 Microclimate regulation.....	9
2.3.2 Economical benefits of urban forest	11
2.3.2.1 Energy savings	11
2.3.2.2 Increase of property value.....	13
2.3.3 Social benefits of urban forest	14
2.4 Factors Affecting the Health of Urban Forest.....	16
2.4.1 Lack of tree care and maintenance.....	17
2.4.2 Urban environmental stressors.....	19
2.4.3 Insect and pest diseases.....	21

2.4.4 Termites.....	23
2.4.5 Improper species or site selection	25
2.5 <i>Araucaria heterophylla</i>	26
2.6 <i>Yucca aloifolia</i>	28
2.7 <i>Roystonea regia</i>	29
 CHAPTER 3	
MATERIALS AND METHODS	31
3.1 Study Site	31
3.2 Sampling Methodology.....	32
3.3 Visual Tree Assessment.....	33
3.4 Soil Compaction Test.....	36
3.5 Interview	37
 CHAPTER 4	
RESULTS	38
4.1 Tree Species in UNIMAS	38
4.2 <i>Roystonea Regia (R. regia)</i>	41
4.3 <i>Araucaria heterophylla (A. heterophylla)</i>	50
4.4 <i>Yucca aloifolia (Y. aloifolia)</i>	58
4.5 Interview with UNIMAS maintenance staff.....	62
 CHAPTER 5	
DISCUSSIONS	63
 CHAPTER 6	
CONCLUSION AND RECOMMENDATION	70
 REFERENCES.....	73
 APPENDICES	

LIST OF TABLES AND FIGURES

Table 3.1	Classification of tree categories
Figure 2.1	Carbon sequestration cycle
Figure 2.2	Suitable tree location for energy conservation
Figure 2.3	Tree location for hospital area
Figure 2.4	Relationship between crime rate and vegetation
Figure 2.5	Over-mulching can cause canker disease
Figure 2.6	Relative stress produced by soil compaction compared to other various environmental factors of tree growth
Figure 2.7	Subterranean termite colony life cycle
Figure 2.8	Standing row of <i>A. heterophylla</i> in UNIMAS
Figure 2.9	<i>Yucca</i> at the entrance of UNIMAS campus
Figure 2.10	<i>R. regia</i> planted at the entrance of UNIMAS
Figure 3.1	Universiti Malaysia Sarawak West Campus Layout Plan
Figure 3.2	<i>A. heterophylla</i> at Jalan Jati
Figure 3.3A	<i>Roystonea regia</i>
Figure 3.3B	<i>Yucca aloifolia</i>
Figure 3.4	Measuring a tree height using tape measure
Figure 3.5	Method for taking parameter readings
Figure 4.1	Number of trees according to family species in UNIMAS
Figure 4.2	Species of trees available in UNIMAS
Figure 4.3	Location of <i>R. regia</i> for sampling
Figure 4.4	Condition of <i>R. regia</i> in UNIMAS
Figure 4.5	<i>R. regia</i> with hazardous condition
Figure 4.6	Dead <i>R. regia</i> planted too close to streetlight
Figure 4.7	Crown density assessment of <i>R. regia</i>
Figure 4.8	Lichens found on the trunk of <i>R. regia</i>
Figure 4.9	Algae (left) and dragon scales (right) on the trunk of <i>R. regia</i>
Figure 4.10	Epiphytes found growing on <i>R. regia</i>
Figure 4.11	Dead frond on the base of the tree

- Figure 4.12 Location of *A. heterophylla* for sampling
- Figure 4.13 Condition of *A. heterophylla* in UNIMAS
- Figure 4.14 The condition of *A. heterophylla* along Jalan Jati
- Figure 4.15 Termite mounds (left) and needles (right) suffering from anthracnose
- Figure 4.16 *A. heterophylla* with bended trunk (A) and top down dieback condition (B)
- Figure 4.17 Crown vigor assessment for *A. heterophylla*
- Figure 4.18 *A. heterophylla* with vigor class 3
- Figure 4.19 *A. heterophylla* with drooping branches
- Figure 4.20 Location of *Yucca aloifolia* for sampling
- Figure 4.21 *Yucca* leaves with brown spots, necrosis and chlorosis
- Figure 4.22 Foliage assessment for *Y. aloifolia*
- Figure 4.23 Lichen growing on *Y. aloifolia*
- Figure 5.1 Broken *A. heterophylla* due to termite attack
- Figure 5.2 Different foliage colour between *A. heterophylla* planted in the open and in the shade

ABSTRACT

(The existence of urban forests in the city plays an important role in providing numerous environmental, social and economic benefits to the people. Urban forests not only create an escape for the city dwellers from their hectic everyday life, it also helps to improve water and air quality, reducing flood, reducing heating and cooling energy needs, increasing the value of the property and enhancing the quality of life for people and wildlife around them) The main objective of this study was to assess and evaluate the health status of the selected trees species planted within Universiti Malaysia Sarawak (UNIMAS). A total of 328 trees from the species of *R. regia*, *A. heterophylla* and *Y. aloifolia* were assessed for their overall health status. The characteristics of the tree species planted and methods to improve their health problems were discussed so as to attain sustainable urban landscape.

Keywords : urban forests, health status, *R. regia*, *A. heterophylla*, *Y. aloifolia*, sustainability

ABSTRAK

*Kewujudan hutan urban di dalam sesebuah bandar memainkan peranan yang penting dalam memberikan pelbagai kebaikan dari segi alam sekitar, sosial dan ekonomi. Hutan bandar bukan sahaja dapat mewujudkan ruang bagi penduduk bandar untuk lari dari suasana kehidupan harian yang sibuk, malah ia juga dapat memperbaiki kualiti air dan udara, mengurangkan banjir, mengurangkan keperluan tenaga bagi tujuan pemanasan dan penyejukan, menaikkan nilai hartanah and menambahbaik kualiti hidup manusia dan haiwan yang berada di sekitarnya. Tujuan utama kajian ini adalah untuk mengkaji dan menilai status kesihatan spesis pokok yang dipilih yang ditanam di sekitar Universiti Malaysia Sarawak (UNIMAS). Sejumlah 328 batang pokok dari spesis *R. regia*, *A. heterophylla* dan *Y. aloifolia* telah dinilai untuk tahap kesihatan keseluruhan. Ciri-ciri pokok yang ditanam dan kaedah untuk mengurangkan masalah yang dihadapi juga dibincangkan untuk memastikan lanskap urban yang lestari.*

*Kata kunci : Hutan urban, tahap kesihatan, *R. regia*, *A. heterophylla*, *Y. aloifolia*, kelestarian*

CHAPTER 1

INTRODUCTION

1.1 Introduction

Trees are important for the sustainability of the environment. Without trees the most essential thing needed for human beings to continue living – oxygen – will not be produced. The ability of trees to process carbon dioxide into oxygen through the process of photosynthesis is essential because without oxygen human beings can no longer exist on this beautiful planet called earth.

Knowing the importance of trees, it not can only be found in forests but also it can also be found in cities, towns or a suburb. In the past, trees were often included in local plans primarily as beautification elements (Mcpherson & Geiger, 2005). But now, more people are starting to realize the important role that these urban trees play in maintaining human health and well being.

In UNIMAS itself, a huge amount of money was invested in planting trees all over the campus. These trees were mostly chosen based on their biological function. Among the trees that are planted within the campus are *Araucaria heterophylla* (Norfolk Island Pine), *Yucca aloifolia* (Spanish Bayonet), *Roystonea regia* (Cuban Royal Palm) and *Polyalthia longifolia* (Indian Mast Tree).

These trees played a very important role where each and every single tree provides different purposes. For example, the Cuban royal palms are being planted at

the entrance of UNIMAS, symbolizing a grand and majestic welcome to the visitors each time they enter the campus. The pine trees are planted at the roadside, giving beautiful and pleasant scenery at the roadside. In addition to the aesthetic values that urban trees provide, they also aid in erosion control, pollution removal, and rainfall interception.

Assessing the health status of these trees is important because it is essential for the sustainability of the urban environment. Winn et al. (2007) also mentioned that soil compaction, limited root growth, and groundwater contamination are a few factors that can influence tree health. By knowing the health status of urban trees, the management can plan ahead for maintenance aspect and prevent problems such as dieback, which can affect the sustainability of the urban trees in UNIMAS.

1.2 Problem Statement

Urban trees in UNIMAS play an important role because it not only gives an aesthetic value to the landscape, but also provides benefits in terms of health, environmental, economic and social aspects. These trees should be sustainable and beneficial on a long-term basis. However, some of these urban trees fail to serve their purpose probably due to factors such as diseases, poor soil condition and insufficient growing space. These factors will affect the sustainability of the urban trees and will cause problems such as an increase in the cost of maintenance. For this study, three (3) species were selected and analyzed for their health status. The species are *Araucaria heterophylla*, *Yucca aloifolia* and *Roystonea regia*.

1.3 Objectives

1. To evaluate the health status of selected tree species in UNIMAS
2. To find out what are the probable causes affecting the sustainability of selected tree species in UNIMAS

1.4 Significant Of Study

The significance of this study is to provide information on the health status of selected urban tree species in UNIMAS. This study can also be used to give recommendations on the best care and maintenance for the selected tree species to improve its life span and to ensure its sustainability.

CHAPTER 2

LITERATURE REVIEW

2.1 Introduction

Trees are important for the sustainability of human beings on earth. Nowadays trees are not only found in primary or secondary forest, but can also be found in cities, towns and suburbs and they are commonly known as urban forest. It provides the oxygen that we breathe, as well as other services that are essential to human beings. Oxygen production is one of the many environmental benefits that trees produce, and urban trees can produce a significant amount of oxygen (Nowak et al. 2007).

“Urban forestry is the management of trees for their contribution to the physiological, sociological, and economic well-being of urban society. Urban forestry deals with woodlands, group of trees, and individual trees, where people live – it is multifaceted, for urban areas include a great variety of habitats (streets, parks, derelict corners, etc.) where trees bestow a great variety of benefits and problems.” (Grey & Deneke 1986). The management of trees and forests within urban areas is generally understood as urban forestry (Lee et al. 2004).

The emission of greenhouse gases - such as carbon dioxide, methane, ozone, chlorofluorocarbons - are one of the biggest factor contributing to the global warming threat (Casper 2010). Greenhouse gases specifically fossil fuel-based carbon dioxide emissions are increasing and the rise of these gases is expected to raise the global average temperate and cause other changes to the climate (Böhringer 2003). To

address the concern over the alarmingly increasing rate of global warming due to greenhouse gasses, the Kyoto Protocol was introduced in Kyoto, Japan in 1997. The aim of this protocol is to reduce the greenhouse gases emission by five percent below 1990 levels by industrialized countries within 2008 to 2012 (Rosser 2008).

The political environment surrounding urban vegetation has been altered and its value could increase due to the post-Kyoto protocol, although the Kyoto Protocol itself does not apply to urban vegetation (Moore 1997). This could be because it is believed that trees are able to contribute to mitigate global climate changes, due to their key role in the energy and mass exchanges between the atmosphere and the geosphere (Sieghardt et al. 2005).

2.2 Sustainability of Urban Forest

The Brundtland Report has made the concept of sustainability the center of attention for the international community where sustainable development was defined as 'meeting the requirements of present generation without compromising the ability of future generations to meet their own need' (Newton 2008). He also indicated that forest sustainability also became an international agenda after the statement of Forest Principles and Chapter 11 of Agenda 21 aims to 'contribute to the management, conservation and sustainable development of forests' and note the need for setting relevant standards for the forest use.

Clark et al. (1997) defined sustainable urban forest as:

"The naturally occurring and planted trees in cities which are managed to provide the inhabitants with a continuing level of economic, social, environmental and ecological benefits today and into the future."

He also listed a few criteria that should be fulfilled in order to achieve a sustainable urban forest. Among the criteria that should be considered are funding; staffing; assessment tools; species and site selection; and standards for tree care. To achieve sustainable urban forest, all these criteria must be met. Adequate funding can ensure a well-developed and well-maintained urban forest. Staffs and arborists that are well trained can increase an urban forest's sustainability.

By developing proper assessment tools, information about urban forest can be collected on a routine basis. Species and site selection are also important criterion because it is crucial to provide good planting sites and appropriate trees to fill them to ensure sustainability. The sustainability of urban forests also can be enhanced by adapting and adhering to professional standards for tree care such as Tree Pruning Guidelines. (Clark et al. 1997)

Carreiro et al. (2007) stated that the evolution of urban forestry has been recognized as an essential means of maintaining urban ecosystem health, improving human living conditions, fostering harmonious human-nature relationship and ultimately achieving urban sustainability. The main function of urban forest is to provide attractive environment for urban residents to live, work and spend the free

time (Konijnendijk 2005). However, urban forests also provide other types of benefits in terms of environmental, economical and social aspects.

2.3 Functions and Benefits of Urban Forest

Providing settings for physical exercise, reducing ultraviolet radiation and air pollution, and reducing stress are a few examples of the positive impacts that urban trees have on people's physical and mental health (Konijnendijk & Randrup 2004). There are many innovative projects organized around the idea of planting large number of trees, which aims to improve the quality of life and to increase ecological resilience. Urban forests not only give environmental benefits, but also benefits in economy and social aspects.

2.3.1 Environmental benefits of urban forest

2.3.1.1 Carbon sequestration

The process of keeping carbon dioxide - which contributes to the greenhouse effect that causes global warming - out of the atmosphere is known as carbon sequestration (Daniels 2010). Carbon dioxide is absorbed by trees, plants and crops through photosynthesis and stored as carbon in biomass in tree trunks, branches, foliage and roots and soils. This type of sequestration is the long-term storage of carbon in trees and plants, commonly referred to terrestrial sequestration (United States Environmental Protection Agency 2012).

According to Siry et al. (2005), forest carbon sequestration is one of the key approaches to reducing atmospheric carbon concentrations (Figure 2.1). It is a safe, environmentally acceptable, and cost-effective way to capture and store substantial amounts of atmospheric carbon. By sequestering carbon in new growth every year, trees will reduce the amount of carbon in the atmosphere and the amount of carbon annually sequestered is increased with the size and health of the trees (Clay et al. 2012).




Figure 2.1 : Carbon sequestration cycle

Source : US Environmental Protection Agency (2012)

Natural forests have the highest ability to store carbon above ground due to their tremendous size and volume. Even though the urban forests will never be able to reach the same level as natural forests in carbon storing, it still plays an important role in reducing the atmospheric carbon through storage and sequestration (City of Boulder Water Conservation Office & Sherry 2002).

Although urban trees can help reduce the amount of carbon in the atmosphere, as they die and decay, they will release the stored carbon back to the atmosphere (Nowak 2007). Therefore it is important to ensure that the trees that are planted are well taken care of and sustainable to minimize the amount of carbon that is being released to the atmosphere when the trees decay and die.

2.3.1.2 Microclimate Regulation

Urban heat island (UHI) is a man-made area that exists because the land surface in towns and cities that are made from materials that absorbs and stores heat such as tarmac and stone. This area is significantly warmer than the surrounding countryside – especially at night (The Met Office 2012).

Voogt (2004) defined urban heat island as a way to describe the characteristic warmth of both the atmosphere and surfaces in cities (urban areas) compared to their nonurbanized surroundings, and the heat island is an example of unintentional climate modification when urbanization changes the characteristics of the Earth's surface and atmosphere.

By directly removing air pollutants and indirectly modifying microclimates through lowering temperature, and altering wind patterns, urban forests can influence local air quality (Escobedo 2013). A microclimate is a local atmospheric zone where the climate differs from the surrounding area. Georgi and Zafiriadis (2006) mentioned that a research was done Taha et al. (1988) to study the microclimate that was created under the tree foliage. The research showed that in the suburbs of Sacramento the air temperature under tree foliage is 1.7 to 3.3°C lower than the areas where there are no trees.

Urban forests can help to cool urban climates through shading and evapotranspiration. Carreiro et al. (2007) cited that urban forests could effectively modify the microclimate and improve thermal comfort in the summer through three mechanisms. By placing trees at suitable locations, it can prevent solar radiations from striking buildings and cooling the building at the same time.

Carreiro et al. (2007) also indicated the urban forests that are scattered throughout the city can act as windbreakers thus reducing the wind speed. Lower wind speed can reduce penetration of outside air into indoor space. Through evapotranspiration, urban forests can lower the summer air temperature where up to 378.5kg of water can be transferred into the atmosphere by an average mature tree through transpiration.

2.3.2 Economical benefits of urban forest

2.3.2.1 Energy Savings

Nowadays, more people are starting to realize the importance of saving and conserving energy in their daily life. By conserving energy that is used at houses or office buildings can reduce their monthly electricity bills. Not many people realize that planting trees at suitable locations can also help to help to conserve energy. The correct placement of trees can play a significant role in energy conservation where on a clear summer day, trees can block up to 70 to 90 percent of the sun's radiation and it can also reduce air conditioning demands by 10 to 30 percent (Whiting & O'Meara 2005).

Akbari (2002) stated that trees could conserve energy by acting as wind shielding or shelterbelts. Trees will lower the ambient wind speed by acting as windbreaks, which may lower or raise a building's cooling-energy use depending on its physical characteristics. However, energy conservation by trees are affected by regional climate, the size and amount of tree foliage, and the location of trees around buildings (Kuser 2006).

Trees that act as windbreakers reduce cold air infiltration into the building, thus reducing winter heating costs 20 to 40 percent. In the summer water evaporation from leaves will directly cools the air (Kuhns 2012). However, Kuhns (2012) also stated that there are a few design criteria to be followed for an effective windbreak design such as height, density, orientation, length and species of trees used.

Placing trees and shrubs near houses and buildings will provide shade thus reducing the need and demand of air conditioning. Solar heat that is absorbed by the active heat-absorbing surface of an inert building will be transferred to living foliage. Most of this energy will be transferred to the surrounding air because the heat capacity of leaves is low and water in the leaves will evaporate through evapotranspiration and air will be cooled (Mcpherson & Simpson 1995).

Without proper planning and design, urban trees that are planted at residential or commercial area cannot serve as their intended function for energy savings. The type of tree and the location must be taken into consideration for the design to work. Figure 2.2 shows the suitable trees and locations to be planted for efficient energy conservation. The hardiness of the particular plant, soil conditions, space and the site should be checked carefully when selecting plants to be planted as energy saving trees (van der Hoeven 1982).




Figure 2.2 : Suitable tree location for energy conservation

Source : Walker & Newman (2009)